

EXHIBIT

“ A ”



ABSOLUTE

FIRE PROTECTION CO., INC.

Phone: 908-757-3600 Fax: 908-757-3616

2800 Hamilton Boulevard, South Plainfield, NJ 07080

www.absolutefire.com

9/23/19

West Orange Fire Dept.

Thank you for your interest the Wheeled Coach product and Absolute Fire. We are pleased to provide pricing to purchase your apparatus through the Houston-Galveston Area Council (HGAC) cooperative purchasing program.

This letter serves as the quote under the HGAC AM10-18 Contract.

For the One (1) Wheeled Coach Type 3 E450 Ambulance we used the base model CCA15.

Pursuant to the regulations established under the HGAC program, we modified the base model to meet your departmental needs. We are offering an HGAC quoted price of **\$141,592.00.**

With the HGAC Process, since the terms of the agreement have already been negotiated between the vendors and HGAC, there is no need for a separate contract, just a PO made out to Absolute Fire Protection, issued by, you, the customer. Absolute will then send a copy of the official HGAC pricing along with a copy of the PO to the HGAC where they will issue an order confirmation. Once we receive the HGAC confirmation we will order the vehicle from Wheeled Coach and schedule the preconstruction conference. We will then provide you a copy of the official HGAC pricing worksheet for your records.

If you have any further questions please do not hesitate to contact me.

Very truly yours,

Tony Amoroso

Vice President



ABSOLUTE

FIRE PROTECTION CO., INC.

Phone: 908-757-3600 Fax: 908-757-3616

2800 Hamilton Boulevard, South Plainfield, NJ 07080

www.absolutefire.com

9/23/19

West Orange Fire Dept.

Below are the listed additional items to the stock unit. The price of these is included in the HGAC quote you received.


1. Paint 2 Tone-RED to match the fleet.
2. Striping, lettering, and Chevron graphics to match fleet.
3. Factory inspection for 1 member.
4. Ferno Stat-Track Cot Mounting system.

If you have any further questions please do not hesitate to contact me.

Very truly yours,

Tony Amoroso

Vice President



Wheeled Coach®

REV GROUP

WC Stock

WC Stock
Michele Yoder
4 Units
#289895, 96, 97, 99
HLD,

Exp. Date: 06/22/2018 Rev. Date: 08/21/2018
Quote No: Rev 01-
Job/Order No: 289895-99 (4)
08/21/2018 15:39:17 WO#: 289895-99 (4)

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
00-05-0100		== Ford, E450, 158" WB, 170" Module, #3170F - 620.040 06/15/17 == < This unit built in accordance with KKK-A1822-F CN 10 This unit as specified meets all requirements of KKK-A1822-F Change notice 10. All cabinets shall be labeled as to their capacity Rating.	1	WC	
		< Duplicate 263739	1	WC	
00-30-5108	S	< Ford, 2019, E450 6.8l Gas, Cutaway, 158" WB 2018-3	1	WC	
		(1) alternator per Elec Eng Includes 2nd battery(purchased) Rubber floor mat, OEM, std.			
05-10-0250		Conversion, BOM, Type III, 170 Module, Ford 18-2	1	WC	10226709
5U-12-5000		HEATING/AIR CONDITIONING: Hoses, Heater, No Max, to Rear, STD	1	WC	
5U-70-0207		< Heat/AC, F3, Combo, w/Coolbar with thermostat in action area.	1	WC	9980003
		12vdc External Condenser, in Coolbar mounted on front of module. Painted. Ford white: FA91:YZ	1	WC	5U-70-0207
5U-81-1000		Aerodynamic Fiberglass Cool Bar cover	1	WC	10499516
X5-10-3201		WHEELCOVERS: < Wheel Covers, Phoenix #NF12, Installed, E-Series, Std Model Only with Air Max Valve Extenders, std	1	WC	X5-10-3201

PART NO	S	DESCRIPTION	QTY	ID	REF NO
		== Type 3 Ford - 170" Module - #3170F - 620.040 06/15/17 ==	1	WC	
35-05-0159		Type 3 - 170" Module - Standard Model Series	1	WC	35-05-0159
35-05-0170		Type 3 - 170" Module General Body Construction Spec	1	WC	35-05-0170
35-05-0180		Type 3 - 170" Module Vehicle Body Structure Spec	1	WC	35-05-0180
35-05-2000		INTERIOR CABINETS -Duralite Construction, Wood, CN10 compliant	1	WC	35-05-2000
		< MODULE BODIES:	1	WC	
		As built shop note update as built Rev 01, no hard copy released			
35-10-0066		< Aisle Space, 50 inches, STD, Type 3, Std Model Only (49-50" actual)	1	WC	35-10-0066
		Install anti-slip decal with Wheeled Coach logo on curbside and rear stainless steel thresholds, STD			
35-10-0100		10 Inch Extended Cab, 13" seat travel	1	WC	0650010
35-10-0921		Headroom, 72 in. Type 3 - 170" module, #3170C/F	1	WC	35-10-0921
37-00-0350		< Coating, Scorpion X02, Per Compt, (1), Std light gray	5	WC	3F-70-0520
37-00-0360		Coating, Scorpion, Rear Bumper Supports	1	WC	3F-70-0525
37-00-0470		Compt, Battery, Scorpion Finish Ford E-Series STD	1	WC	37-00-0470
37-00-0500		< Compartments, Std, Floor 3" Drop Down from Door Opening	4	WC	37-00-0500
		compts B1,B2,D,& E are STD drop down floor			
37-00-0600		< Compartments, Sweepout - Compartments "A" & "F" are standard sweep out	2	WC	37-00-0600
37-00-0710		< Duraseam Doors, with Hidden Jambs - Magnetic door switches, Standard	1	WC	37-00-0710
39-A0-0472		A, Compt, Split, Hoseline, 170" Module, 72" H.R, T3	1	WC	39-A0-0472
39-B1-0153		B1, Compt, Std, 170" Module, 72" HR, #3170C/F	1	WC	39-B1-0153
39-B2-0172		B2, Compt, Std, 170" Module, 72"H.R, T3	1	WC	39-B2-0172
39-D0-0353		< D, Compt, 3/4, 170" Module, 72" H.R, #3170C/F With Double Doors	1	WC	39-D0-0353
39-E0-0103		< E, Compt, Std, 170" Module, #3170C/F With Double Doors	1	WC	39-E0-0103
39-F0-0153		F, Compt, 3/4, 170" Module, 72" H.R, #3170C/F	1	WC	39-F0-0153
		FUEL FILL HOUSING:	1	WC	
3A-10-4000		Housing, Fuel Fill, Cast, F3/C3/C4500/CM+(7)	1	WC	1000774
		EXTERIOR DIVIDERS:	1	WC	
3F-10-1101		< Divider, Vertical, B2, 3/16" Thick, Recessed Adj Track,Std Model only	1	WC	3F-10-1101
		compt "B2", centered.			
		SHELF- COMPARTMENT "A"/RF CABINET:	1	WC	
3F-20-1000		< Shelf, Adjustable,(1), RF Cabt Custom (1) RF Compt "A"/cabt "E1" area, centered.	1	WC	1101600
		SHELF- COMPARTMENT "D":	1	WC	
3F-40-3001		< Shelf, Custom, Adj, Cmp "D", (1), Std Model only at bottom of cabt "H" inside/outside access opening.	1	WC	3F-40-3001

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		SHELF- COMPARTMENT "E":	1	WC	
3F-50-0200		Shelf, Fixed, Cmpt E, for Electrical storage, No Divider	1	WC	1101621
		WINDOWS:	1	WC	
3P-10-5201		Window,Upper,CS/Slider,Rr/Fixed,Priv Tint,PAN,Std Model only	1	WC	3P-10-5201
		MODULE ENTRY DOOR HANDLES:	1	WC	
3U-30-8000		Handles, Patient Entry, Trimark Black/Chrome "SafePass" STD	1	WC	3U-30-8000
		EXTERIOR COMPT DOOR HANDLES:	1	WC	
3U-40-0510		Handle, Module Compt, Trimark, Black/Chrome, STD	7	WC	3U-40-0510
3U-40-0514		< Latch, Paddle, Trimark, For Trailing Door compts "D" & "E"	2	WC	3U-40-0514
		DOOR HOLD OPENS:	1	WC	
40-10-1611		< Hold Opens,Rr Doors,Cast,Grabber (2), 5.5", Std Model only - Installed so doors will open as wide as possible - Mount at top of doors.	1	WC	40-10-1611
40-10-7200		Hold Open, Gas Strut, Ext Compt, 30lb, Std	7	WC	1100512
40-10-7205		Hold Open, Gas Strut, RF Compt, 30lb, Std	1	WC	1100516
40-10-7750		< Holdopen, Gas Strut, CS Entry Door, 35# Standard. New Code Per ECN 1823	1	WC	40-10-7750
		DOOR PANELS:	1	WC	
45-10-4505		< Panels, Entry, Durasafe, Stainless Steel, w/ Chevrons, STD - Durasafe Design - Aluminum Center Panels covered: white/red reflective tape	1	WC	45-10-4505
		FENDER FLARES:	1	WC	
4A-10-3001		Flare, Fender, Bright Finish, Std Model only	1	WC	4A-10-3001
		BUMPERS:	1	WC	
4F-10-9001		< Bumper,Rear,w/ Skids & Flip Up,F3,w/LED DOT lights,Std Model w/ Gator Grip on flip up step.	1	WC	4F-10-9001
		RUNNING BOARDS:	1	WC	
4K-10-4001		Running Boards, F3, Standard,w/Gator Grip, Std Model Only	1	WC	4K-10-4001
		SKIRTRAILS	1	WC	
4U-10-9210		Skirtrails,Extruded Rubber w/Refl Tape,170-175" Module	1	WC	4U-10-9210
4U-10-9500		Tape, Reflective, White, For Extruded Skirtrails	1	WC	4U-10-9500
		STONE GUARDS (FRONT):	1	WC	
4U-11-2000		Stone Guard, Front, Dia Plate, Type 1 & Ford Type 3	1	WC	1100139
		KICKPLATES (w/STD. REAR STONEGUARDS):	1	WC	
50-10-0A07		Kickplate, Under-Ride Bumper, w/ Tag recess and No lights	1	WC	10524083
55-10-3000		< Holder, License Plate, Cast, C30002, STD - In rear kick plate, centered	1	WC	1600055
		SILL PROTECTORS	1	WC	
55-30-4001		Sill Protectors, Stainless, All Compts, Std Model only	1	WC	55-30-4001
		MUD FLAPS:	1	WC	
5A-10-1001		Mud Flaps, Rear, W/Logo, Std Model only	1	WC	5A-10-1001
		PAINT/BELTS:	1	WC	
5F-10-0800		< Paint, OEM White Sikkens Crossover Codes Ford white: FA91:YZ	1	WC	5F-10-0800

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
5F-10-4801		< Paint, Belt, Nons, Std Model only Cab & Module, all white, std.	1	WC	5F-10-4801
5P-10-5001		DECAL PACKAGES INSTALLED: Roof Star, White Border, Installed, Std Model Only ELECTRICAL SYSTEM: Circuitboard BATTERY SWITCHES:	1 1 1 1	WC WC WC WC	5P-10-5001
60-22-1052		< Battery Sw, 5min Timer, F3/CM+, Gasoline, Fig 5B Activated thru OEM ignition switch timer function upon ignition "off". Momentary rocker switch, on driver's side of cab console, to function as timer shutoff and also reactivate timer. (1) OEM battery under hood (1) OEM battery in RF Lower Compartment ONLY Module power is turned on/off. Chassis power is NOT turned off.	1	WC	60-22-1052
65-10-3001		COAX CABLES/ANTENNAS: < Coax Cable, RG58/U, (1), Additional, Std Model only Mod roof port #1 to behind the pass seat with 6' pigtails	1 1	WC WC	65-10-3001
65-30-1000		< Coax Cable, RG58/U, (1) Each, Standard, Terminate: Module roof port #3 to behind pass seat with 6' pigtails	1	WC	1850001
65-30-1500		< Coax Cable, RG58/U, (1) Each, Additional, Terminate: Module roof port #2 to behind drivers seat with 6' pigtails	1	WC	1850002
6A-22-200E		12VDC POWER SOURCES & OUTLETS: < Outlet, Cigar Lighter, STD, (2), A/A - on standard 20-amp ignition hot circuit. ("elect batt sw")	1 1	WC WC	6A-22-200E
6A-22-5100		< Outlet, Dual USB Port, 5VDC, 2.1Amp output, Standard Located on the passenger side of the center console, per Electrical Engineering	1	WC	6A-22-5100
6A-22-5150		< Outlet, Dual USB Port, 5VDC, 2.1Amp output, IATS Pass side of CC - ignition hot Same as 256626	1	WC	6A-22-5150
6A-23-0910		POWER SOURCE, 12 VDC < Power Source, 12VDC, 20A, Ignition/Shoreline Hot (1) pre-wire coil and tagged in action area (1) pre-wire coil and tagged behind driver's seat.	1 1	WC WC	6A-23-0910
6A-23-1201		< Power Source, 12 VDC, 15 Amp (+-), Std Model only - Ignition hot, terminating in cab console - with 6 foot tails (hot and ground).	1	WC	6A-23-1201
6A-23-3001		< Power Source, 12 VDC, 30 Amp (+-), Std Model only - Constant Hot, to terminate behind the passenger seat	1	WC	6A-23-3001

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		- with 6 foot tails (hot and ground).			
6A-23-30SP	X	< Power Source, 12VDC, 40A, Constant Hot, IATS (10323056) Ref: Item 4, SR #2161758F	1		10323056
		Inside front auxiliary console as radio pre-wire. To include ground. Each with 6' tails.			
		ELECTRICAL ACCESSORIES	1	WC	
		SHORELINE INLETS:	1	WC	
6F-90-4101		< Super Auto Eject, 20 amp, ILOS, White, Std Model Only Mounted above compartment "E" (As built)	1	WC	6F-90-4101
		110 VAC OUTLETS:	1	WC	
6K-40-1000		< Outlet, 110 VAC, Duplex, (2), STD - (1) outlet in action area - (1) outlet in the RF Cabinet "E1", wall #2, upper right.	1	WC	1800001
		BATTERY CHARGERS:	1	WC	
6U-10-5000		< Battery Charger, Conditioner, Progressive Dynamics, PD9130 Charger/Conditioner mounted in Comp "E"	1	WC	6U-10-5000
		PREWIRE - INVERTER	1	WC	
7P-50-4500		< Prewire, Inverter Vanner 1000 TUL/CUL, Plug In Terminate in compt E on fixed shelf	1	WC	1200469
		CONSOLES:	1	WC	
7U-10-7000		Console, A/A, Wood, Angled	1	WC	1301700
7U-10-71SR	X	< A/A panels, Reflective Finish Stainless, ILOS III (10502920) material: #10125575	1	WC	
		Switch panel & outlet panel in Str/s action area only			
7U-10-8952		Console, ECC, F2, F3, F7, 2008+	1	WC	7U-11-8952
7U-12-1000	X	< Console, Custom Dade Style, IATS (10139352) SR#2161758F Last unit SAP # 127641	1	WC	10139352
		Eng: Drawing #311733D			
		with two cup holders and small storage pocket.			
		GAUGES/METERS:	1	WC	
D0-10-6500		< Alarm, Low Voltage, Audio/Visual Light in cab console and Buzzer in cab.	1	WC	D0-10-6500
D0-10-7000		Voltmeter, OEM, In Dash	1	WC	
		SIREN SPEAKERS:	1	WC	
DF-10-9100		Speakers, (2), Whelen, SA-315, In Grille area, F3/F7	1	WC	DF-10-9100
		SIRENS:	1	WC	
DK-10-1400		Siren, Whelen, WS-295-SLSA1, Standard	1	WC	1700297
		SWITCHING OPTIONS FOR AIR HORNS & SIRENS:	1	WC	
DP-11-1000		Switch, Siren/Horn Thru Horn Ring	1	WC	1700622
		AUDIBLE ALARMS:	1	WC	
F0-11-3501		Alarm, Back-Up, Auto Reset, Std Model only	1	WC	F0-11-3501
		< VEHICLE EXTERIOR LIGHTING	1	WC	
		Lights on unit are to have primary and secondary Triple K compliant flash patterns			

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		WHELEN FLANGES FOR 9E SERIES LIGHTS:	1	WC	
FU-38-0100		Flange, Super 9L, #90FLANGC, (1) Each	16	WC	FU-38-0100
FU-38-0500		Flange, 97 Series, (1) Each	6	WC	1550023
		WHELEN SUPER LED 9L FLASHING LIGHTS T1,3,9:	1	WC	
FU-40-0105		< Light, 9L, Super LED, Whelen, Red,Clear Lens,ILOS, 90RR5FCR - (2) each side standard location - (2) on rear in upper outer corners - (2) on front in upper outer corners Pri/Sec internal comet flash	8	WC	FU-40-0105
FU-40-0107		< Light, 9L, Super LED, Whelen, Red,Clear Lens,IATS, 90RR5FCR (2) to show through the upper rear windows. Pri/Sec internal comet flash (2) Front 1 each side of center white light (Cool bar) Pri only internal comet flash (2) angled ends of cool bar Pri only internal comet flash	6	WC	FU-40-0107
FU-40-0110		< Light, 9L, Super LED, Whelen,Amber,Clear Lens,ILOS, 90AA5FCR on center rear Pri/Sec internal comet flash	1	WC	FU-40-0110
FU-40-0114		< Light, 9L, Super LED, Whelen, Clear, ILOS, 90CC5FCR Front center (Cool bar) Pri only internal comet flash	1	WC	FU-40-0114
		WHELEN SUPER LED 7L LIGHTS W/FLASHERS:	1	WC	
H5-58-0320		< Light, 7L, Super LED, Whelen, Red, Clear Lens, ILOS,70R02FCR - (2) as front intersection lights Pri only internal comet flash	2	WC	H5-58-0320
		WHELEN FLANGES 7 SERIES LIGHTS	1	WC	
H5-59-1000		< Flange, Whelen, For 7E lights (1), Mods - For 7 Series Lights	2	WC	H5-59-1000
		GRILLE/INTS LIGHTS, 2008+ FORD & DODGE, WHELEN:	1	WC	
H5-59-400E		< Light, Whelen, LIN3, LED-Red, Std, RSRO2ZCR - (2) in upper grille Pri only internal comet flash	2	WC	H5-59-400E
		CORNER CAP LIGHTS	1	WC	
HF-11-6049		< Corner Cap Lts,Multi-LED,(2)Amber(2)Red w/Flashers,Std Model - High intensity flashers; thru separate switch	1	WC	HF-11-6049
		CLEARANCE LIGHTS:	1	WC	
HF-12-9100		< Light, Clearance, Amber LED, ILOS - On front as clearance lights.	3	WC	1570073-1

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
HF-12-9601		< Light, Clearance, Red LED, Std Model only - On rear as clearance lights.	3	WC	HF-12-9601
		SCENE AND LOAD LIGHTS			
HK-20-110E		< Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) - (2) each side as scene lights	1	WC	
			4	WC	HK-20-110E
HK-20-130E		< Light, Halogen, Whelen, 9H, Clear, 8-32 Deg, STD, (1) - (2) on rear as load lights	2	WC	HK-20-130E
		HARNES LAYOUT:			
J5-12-1000		Halogen, " E " Spec, Whelen	1	WC	
			1	WC	H960125
		STOP/TURN/TAIL LIGHTS:			
JA-10-1200		Light, License Tag, (2), Trucklite #15205 LED, ILOS	1	WC	
JA-13-8010		< Tallights, Whelen, LED Stop/Tail, Halogen/Backup, w/ WC logo	1	WC	JA-10-1200
			1	WC	JA-13-8010
		Brake- Alert Flash before the steady Burn Turn Arrow - sequential arrow			
		MODULE OVERHEAD HEADLINER:			
JK-10-6500		Headliner, Flat, PVC, w/ Hinged trough cover, Std	1	WC	
			1	WC	10495237
		12VDC INTERIOR LIGHTING:			
JP-10-0611		< Lights, Dome, LED, Whelen, White Fing, (4) S/S, (3) C/S, ILOS	1	WC	
		NOTE: NO VISABLE FASTENERS OR HOLES.	1	WC	JP-10-0611
JP-10-7015		< Light, Stepwell, LED, Whelen #TOCACCCR, 2in, ILOS Wall 3 of step area ILOS	1	WC	JP-10-7015
JP-10-8030		Light, Intertek ZY-PIR38 12v, LED, In A/A ILOS	1	WC	
JP-11-4700		NO lighting recessed into trough cover- Standard	1	WC	JP-10-8030
		12VDC INTERIOR LIGHTING - FLUORESCENT:			
JP-16-1206		< Lights, Fluor, Thinlite #766, 18IN, (3), W/Sw, Std Model Only Recessed, 18"	1	WC	
		Mount in liner positions F, G, and H. With switch in A/A.	1	WC	JP-16-1206
		LIGHTS & MISCELLANEOUS:			
JR-50-1050		Handheld Spotlight - Sho-Me 200,000 CP	1	WC	
JR-50-2950		< Light, LED, Compt, Whelen #TOCACCCR, 2in, ILOS (6) All module compartments except batt compt. ILOS	1	WC	10131387
			7	WC	JR-50-2950
		(1) O2 light ILOS			
JR-60-2003		< Timer, Momentary Sw, 15 Minute, Constant Hot, Std Miguel Mount switch on C/S wall at the head of the squad bench in the standard location. Switch to allow activation and also deactivation. Wire to fluorescent lights in liner.	1	WC	JR-60-2003
JR-70-0005		< Light, in Circuit Board Area, for Electrical Troubleshooting - with integral switch; wired constant hot.	1	WC	JR-70-0005
		SUCTION PUMPS:			
			1	WC	

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
LP-10-0500		Suction Pump, Standard	1	WC	2300363
		INSULATION:	1	WC	
LU-10-1000		Insulation, Fiberglass, Unfaced	1	WC	1000413
		GRABRAIL(S)/GRABHANDLES:	1	WC	
N0-10-9101		< Grabrail, Overhead, 117", Handicap Style, Yellow, Std Model Only	1	WC	N0-10-9101
		Yellow Powder Coat Finish			
N0-10-9703		< Handrails, (3), Custom "L" Shape, 1", Yellow, Entry Drs, Std Model - Yellow Powder Coat Finish Stainless Steel Grab Handles	1	WC	N0-10-9703
		O2 CYLINDER RACKS:	1	WC	
NA-10-3550		< Rack, Multiversal, #QR-MV, W/ Straps (Uni-strut track mounting is now std)	1	WC	2300222
		Specify O2 bottle size.			
NA-10-6502		Track, Unistrut for Oxygen Rack -Standard per ECN	1	WC	SO-TRACK-313071
		O2 SYSTEMS COMPLETE:	1	WC	
NF-50-1001		< O2 Sys, LF, (2)O2/(1)Vac Port A/A, (1)O2 C/S, Std Model only Ohio style (2) oxygen outlets in action area (1) vacuum port in action area (1) oxygen outlet curbside wall at head of squad bench	1	WC	NF-50-1001
		O2 SYSTEM PARTS:	1	WC	
P0-59-7500		Regulator, Oxygen Cylinder, Preset 50PSI, Installed	1	WC	P0-59-7500
		SUCTION CONTAINERS:	1	WC	
PA-10-7003		< Regulator/Holder, SSCOR 23002 with Canister clip-CN 10 Compliant Conforms to J8043 requirements	1	WC	10360085
		COT MOUNTS:	1	WC	
PF-26-3450		< Stryker Power/Performance Load- Structure plates & Wiring for Future Install	1	WC	PF-26-3450
		Additional floor structure for future installation of a Stryker #6390 Power-LOAD system Includes pre-wire which will terminate under the module head of cot.			
PF-36-0001		Center Mount	1	WC	
		IV HOOKS:	1	WC	
PP-20-1000		< IV Hook, Perko, (1), W/Straps, STD	2	WC	2350508
		curbside and streetside standard locations			
		MISC. INSTALLED HARDWARE/EQUIPMENT:	1	WC	
R5-11-2010		< Net, Squad Saver, at Head of Squad Bench, 2" Straps, Black	1	WC	R5-10-2010
		attached to floor at head of squad bench, CS wall and overhead liner with removable latches.			
R5-11-5700		< Seatbelt, Assy, (6) Point, (1) EA - Change Notice 8 -Compliant (1) for CPR side seat (2) for squad bench	3	WC	R5-11-5700

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		MODULE INTERIOR	1	WC	
RU-05-0000		Interior Cabinets - Duralite Construction, Wood -CN 10 Compliant	1	WC	RU-05-0000
		MICA COLOR:	1	WC	
RU-10-3001		Mica, Light Gray Gloss, Std Model only	1	WC	RU-10-3001
		SUB FLOORING:	1	WC	
RZ-99-0025		Flooring, Wood, Type 3/7/9, Std	1	WC	RZ-99-0025
		FLOORING:	1	WC	
T0-11-8201		Flooring, Lonplate II, Gunpowder Grey #424TX, Std Model only	1	WC	T0-11-8201
		SEAMLESS ATTENDANT SEATS:	1	WC	
T5-10-5111		< Seat, Attendant, EVS, Child, Gunmetal #1880CB, Std Model only	1	WC	T5-10-5111
		Vacuum formed EVS1880CB w/ 3 point seatbelt. Integrated child safety seat. Mounted metal box base. opening to face CS entry door			
		SEAMLESS UPHOLSTERY:	1	WC	
T5-25-0500		Uph, Smless, Gunmetal, No Bio, No Post & Wheel	1	WC	1900389
		BULKHEAD CABINET:	1	WC	
TF-51-9500		< Cabinet, Bulkhead, 10" Ext , 72Hr, Type3	1	WC	C971817
		NO broom closet behind attendant seat.			
		O2 DOOR:	1	WC	
TK-10-5000		Lexan Flap W/Hinge	1	WC	2100052
		GLOVE HOLDERS:	1	WC	
TN-20-1001		Cabinet, Glove Box Holder, (3), Above C/S door, Std Model only	1	WC	TN-20-1001
		BULKHEAD SLIDING DOOR:	1	WC	
TP-10-6000		< Door, Sliding, Bulkhead, STD with sliding Lexan window	1	WC	2100178
		RIGHT FRONT CABINET:	1	WC	
TU-20-1400	S	< Cab, RF, W/O Healthguard, AC/Combo ILOS (SAP# 10495004)	1	WC	C950534
		E1 and E2 ISOS access split evenly per Eng CN10 compliant.			
		RF CABINET DOORS W/COMBO A/C	1	WC	
TU-20-7800		< Door, Dual Wood, Gray Lexan Insert, RF Cabt Must use M1 latches for KKK Change notice 10 certification.	2	WC	RFDR8
		HARDWARE, LATCHES AND LOCKS:	2	WC	
V0-14-2075		< Latch, Southco M1, 2IN S/S, (3/4" door) Non-Locking, (1), CN 10 -Rated at 10lbs (self latching) Flush Mount. Non-Locking	6	WC	V0-14-2075
		(2) Bottom of lead doors E1 and E2			
		(4) Top and bottom of trailing doors E1 and E2			
V0-14-2078		< Latch, Southco M1, 2IN S/S, (3/8" Door) Non-Locking, (1), CN 10 -Rated at 10lbs (self latching) Flush Mount. Non-Locking	3	WC	SO-LATCH-359035
		(2) Glove box cabt door above CS door			

PART NO	S	DESCRIPTION	QTY	ID	REF NO
		(1) flip up K2 door			
V0-14-2080		< Latch, Southco M1, 2IN S/S,(3/4" door) Locking, (1), -CN 10 -Rated at 10lbs (self latching) Flush Mount. Locking	3	WC	V0-14-2080
		(2) Top of RF E1 and E2 lead cabinet doors (1) L1 door			
		SQUAD BENCH:	1	WC	
V5-20-3802		Squad Bench, Bio-Waste @ Head, 170", Std Model only	1	WC	V5-20-3802
		LID 170 INCH BOX:	1	WC	
V5-64-1501		Lid, Squad Bench, Single W/Bio-Waste, 170", Std Model only	1	WC	V5-64-1501
		HARDWARE:	1	WC	
V5-80-1005		Handle, Trimark, Squad Bench, STD	1	WC	V5-80-1005
V5-82-2500		Strut, Gas, 60 LB, Installed, I.L.O.S, Mods	1	WC	2109706
		CURBSIDE SPLINT CABINET 160-170 Inch Module	1	WC	
VA-40-2950		Curbside Splint Cabt, None	1	WC	
		CURBSIDE REAR CABINET:	1	WC	
VF-20-4700		Cabinet, Curbside Rear, Standard, 170", 72"HR	1	WC	2107001
		CABINET H, BASEWALL 170", T1/T3	1	WC	
VH-H2-0300		H, Cabinet, Inside/ Outside Access	1	WC	VH-H2-0300
		CABINET I, BASEWALL 170", T1/T3	1	WC	
VH-I2-0400		I, Cabinet, Deleted	1	WC	VH-I2-0400
		CABINET M, BASEWALL 160-170", T3	1	WC	
VH-M1-0300		M, Cabinet, deleted	1	WC	VH-M1-0300
		CABINET O, BASEWALL 160-170", T1/T3	1	WC	
VH-O1-0100		O, Cabinet, full height, std	1	WC	VH-O1-0100
		CABINET CPR, BASEWALL, 149"-170", T1 & T3	1	WC	
VH-Q0-0101		CPR, side seat, Std Model only	1	WC	VH-Q0-0101
VH-Q0-0301		CPR, side seat, flip up lid, Std Model only	1	WC	VH-Q0-0301
VH-R1-0100		< "U" Barrier Bar, Padded, 6 7/8 x 7 1/2, 1.5 inch SS, CPR Seat Mounted at the front of the CPR side seat vertically in line with the Padded head cushion on the "L" cabinets.	1	WC	10394239
		CABINET J, STREETSIDE UPPER 170", T1/T3	1	WC	
VI-J2-0300		J, Cabinet, 72" H.R.	1	WC	VI-J2-0300
		CABINET K, STREETSIDE UPPER 160-170", T1/T3	1	WC	
VI-K1-0200		K, Cabinet, 72" H.R.	1	WC	VI-K1-0200
VI-K2-0100		< K2, Cabinet, w/ CPR seat Note: TO meet KKK requirement for space between cushion on squad bench and bottom of splint cabt.	1	WC	VI-K2-0100
		CABINET L, STREETSIDE UPPER 160-170", T1/T3	1	WC	
VI-L1-0251		< L, Cabts, L1 In Angled Area, L2 std, 3/4 F, 72"HR, Std Model only Shelves 1in angled L1 and 1 in L2	1	WC	VI-L1-0251
		Cab H, Gray Polycarbonite Slider- CN 10 Compliant	1	WC	10411109
VK-15-4020		Cab O, Gray Polycarbonite Slider - CN 10 Compliant	1	WC	10411109
		TELEMETRY AREA WORK SURFACE	1	WC	
VP-10-5461		Telemetry Tray, Poured, Gray	1	WC	VP-10-5461
		ACTION AREA WORK SURFACE	1	WC	
VP-10-5916		< A/A Tray, No Bio, Poured, Gray, Narrow, 50" Aisle, Type 3/7 **only for 50" aisle space units**	1	WC	VP-10-5916

PART NO	S	DESCRIPTION	QTY	ID	REF. NO
		ACTION AREA 165/170 INCH BOX:	1	WC	
VP-15-7000		Cab,A/A,Without Blowaste, 160-170" In	1	WC	C950165A
VU-14-4000		< Shelf, Interior, Adj, in Cabinet:	5	WC	2101503
		(5) Cabinets O-J-K-L1-L2			
VU-14-4001		< Shelf Track, Cabt, #HA24663, Upgrade, Std Model only ("C" channel/exterior shelf style track)	5	WC	VU-14-4001
VU-15-2020		Cab "J" Gray Polycarbonate Slider -CN 10 Compliant	1	WC	10411109
VU-15-4020		Cab "K" Gray Polycarbonate Slider- CN 10 Compliant	1	WC	10411109
VU-15-6025		< Cab "K2" Gray Lexan Flap Glass- CN 10 Compliant Must use M1 latches for CN 10 certification.	1	WC	10168564
VU-15-9000		< Cab "L1" Wood Door hinged on right.	1	WC	2100068
VU-16-3020		Cab "L2" Gray Polycarbonate Slider -CN 10 Compliant	1	WC	10411109
		SHIP LOOSE ITEMS:	1	WC	
YY-00-0001		Bracket, Spare Tire Mounting, Ship Loose	1	WC	YY-00-0001
YY-10-6400		Ship Loose, W.C. Standard Items	1	WC	2609998
YY-13-3000		Spare Tire, OEM only, Ship Loose	1	WC	1000800
		WARRANTIES	1	WC	
ZZ-10-0101		Warranty, Conversion, 12 Month	1	WC	0589998-14
ZZ-10-0201		Warranty, Paint, 60 month Prorated, Standard	1	WC	0599997-14
ZZ-10-0350		Warranty, Structural, 20 Years, Std., Mods	1	WC	0589996-18
ZZ-10-0601		Warranty, Limited Electrical	1	WC	0589993-14
ZZ-10-0701		Warranty, Cabinet Construction	1	WC	ZZ100701-14
ZZ-ZZ-0200		End Of Order	1	WC	9980002